Summary of Major Modifications and Explanatory Notes



Κατάλογος Απαγορευμένων 2025

SUBSTANCES AND METHODS PROHIBITED AT ALL TIMES (IN- AND OUT-OF-COMPETITION)

PROHIBITED SUBSTANCES

SO. Non-Approved Substances

 S-107 and S48168 (ARM210) were added to S0 as examples of the class of ryanodine receptor-1-calstabin complex stabilizers. The ryanodine receptor-1-calstabin complex is a major component of calcium storage and release, serving to maintain skeletal muscle function.

S3. Beta-2 Agonists

 Based on a recent publication¹ on potential performance-enhancing doses of inhaled formoterol, the dosing intervals were updated to ensure that ergogenic effects are not achieved. These new 12-hourly dosing intervals are consistent with manufacturers' recommended use; the maximum delivered dose is unchanged at 54 micrograms over 24 hours.

¹ Jeppesen JS, Jessen S,Thomassen M, Backer V, Bangsbo J, Hostrup M. Inhaled beta2-agonist, formoterol, enhances intense exercise performance, and sprint ability in elite cyclists. Scand J Med Sci Sports. 2024;34:e14500.doi:10.1111/sms.14500

S4. Ορμονικοί και Μεταβολικοί Ρυθμιστές

- Η Ελασεστράντη προστέθηκε ως παράδειγμα αντιοιστρογόνου.
- Το μιτοχονδριακό ανοικτό πλαίσιο ανάγνωσης του 12S rRNA-c (MOTS-c) προστέθηκε ως παράδειγμα ενός ενεργοποιητή πρωτεϊνικής κινάσης ενεργοποιούμενης από AMP.
- Για λόγους σαφήνειας, οι S519 και S597 προστέθηκαν ως παραδείγματα μιμητών ινσουλίνης. Οι ενώσεις που μιμούνται την ινσουλίνη ή οι εκλεκτικοί τροποποιητές του υποδοχέα της ινσουλίνης (SIRMs) μιμούνται τη δράση της ινσουλίνης με πρόσδεση στον υποδοχέα της ινσουλίνης².

S5. Διουρητικά και Παράγοντες Απόκρυψης

· Xipamide was added as an example of a diuretic.

² a) Schäffer L, Brissette RE, Spetzler JC, Pillutla RC, Østergaard S, Lennick M, Brandt J, Fletcher PW, Danielsen GM, Hsiao KC, Andersen AS, Dedova O, Ribel U, Hoeg-Jensen T, Hansen PH, Blume AJ, Markussen J, Goldstein NI. Assembly of high-affinity insulin receptor agonists and antagonists from peptide building blocks. Proc Natl Acad Sci U S A. 2003 Apr 15;100(8):4435-9. doi:10.1073/pnas.0830026100

b) Schäffer L (2006) Pharmaceutically active insulin receptor-modulating molecules. PCT Int Appl WO2006018450

PROHIBITED METHODS

M1. Manipulation of Blood and Blood Components

 Donation of blood or blood components (e.g. plasma, red blood cells, white blood cells, platelets and peripheral blood stem cells) including by apheresis is not prohibited when performed in a collection center accredited by the relevant regulatory authority of the country in which it operates.

M3. Gene and Cell Doping

• Έγινε μικρή συντακτική αλλαγή για λόγους σαφήνειας.

ΟΥΣΙΕΣ ΚΑΙ ΜΕΘΟΛΟΙ ΑΠΑΓΟΡΕΥΜΕΝΕΣ ΕΝΤΟΣ ΑΓΟΝΑ

ΑΠΑΓΟΡΕΥΜΕΝΕΣ ΜΕΘΟΔΟΙ

S6.

- Hydrafinil (fluorenol) was changed from S6.B to S6.A, as this substance is more potent than modafinil and is not licensed for medical use.
- · Midodrine and tesofensine were added as examples of specified stimulants.
- Guanfacine was clarified as not prohibited.

PROHIBITED IN PARTICULAR SPORTS

P1. Beta-Blockers

 Based on information provided by International Ski and Snowboard Federation (FIS), the skiing/snowboarding disciplines of ski jumping, freestyle aerials/halfpipe and snowboard halfpipe/big air were removed.

MONITORING PROGRAM

- Fentanyl and tramadol were added to monitor patterns of *Out-of-Competition* use.
- * For further information on previous modifications and clarifications, please consult the *Prohibited List* Frequently Asked Questions at https://www.wada-ama.org/en/prohibited-list#faq-anchor.